Inc.

Copyright @ Glencoe/McGraw-Hill, a division of The McGraw-Hill Companies,



- **1.** H.M.S. *Beagle*, upon which Charles Darwin served as naturalist, set sail on a collecting and mapping expedition in 1831.
- 2. The environments that Darwin studied exhibited little biological diversity.
- **3.** By careful anatomical study, Darwin found that the many species of plants and animals on the Galapagos Islands were unique and bore no relation to species seen in other parts of the world.
- 4. The tortoises of the Galapagos Islands are among the largest on Earth.
- 5. After returning to England, Darwin studied his collections for 10 years.
- 6. Darwin named the process by which evolution proceeds artificial selection.

You are a naturalist who traveled to the Galapagos Islands. Below are excerpts from field notes. Next to each set of notes, write a heading. Use these choices: Overproduction of Offspring, Natural Selection, Struggle for Existence, Variation.



T

Chapter

15

Date

The Theory of Evolution, continued

## Reinforcement and Study Guide

Section 15.1 Natural Selection and the Evidence for Evolution, continued

In your textbook, read about natural selection and adaptations.

Identify the type of structural adaptation that the statement describes. If the statement applies to both, write <u>both</u>. Use these choices: mimicry, camouflage, both.

- **11.** Enable(s) an organism to blend in with its surroundings
- **12.** Provide(s) protection for an organism by copying the appearance of another species
- **13.** The coloration of a flounder that allows the fish to avoid predators
- 14. Involve(s) changes to the external appearance of an organism
- **15.** A flower that looks like a female bee

In your textbook, read about evidence for evolution.

Complete the chart by checking the kind of evidence described.

Evidence	Type of Evidence				
	Homologous Structure	Analogous Structure	Vestigial Structure	Embryological Development	Genetic Comparisons
<b>16.</b> A modified structure seen among different groups of descendants		e seatt said antimities	a beading: Fristence,	on, Suragle for	
<b>17.</b> In the earliest stages of development, a tail and gill slits can be seen in fish, birds, rabbits, and mammals.	These includes a second se		or Strapego or Strapego errs of ceres	Field Note outres forme on oromone outre	t slams i d si zbrulat
<b>18.</b> Exemplified by forelimbs of bats, penguins, lizards, and monkeys		theat b			
<b>19.</b> The forelimbs of flightless birds		88	° '52	international and	
<b>20.</b> DNA and RNA comparisons may lead to evolutionary trees.	Action of the second se			enes hods hour e inches son ju spied to replote	store
<b>21.</b> Bird and butterfly wings have same function but different structures					
<b>22.</b> A body structure reduced in function but may have been used in an ancestor					

66 CHAPTER 15 BIOLOGY: The Dynamics of Life

**REINFORCEMENT AND STUDY GUIDE** 

Chapter



## The Theory of Evolution, continued

## **Reinforcement and Study Guide**

Section 15.2 Mechanisms of Evolution

In your textbook, read about population genetics and evolution.

Determine if the statement is true. If it is not, rewrite the italicized part to make it true.

- 1. Adaptations of species are determined by the genes contained in the DNA code.
- When Charles *Mendel* developed the theory of natural selection in the 1800s, he did not include a genetic explanation.
- 3. Natural selection can act upon an individual's genotype, the external expression of genes.
- 4. Natural selection operates on *an individual* over many generations.
- 5. The entire collection of genes among a population is its gene frequency.
- **6.** If you know the *phenotypes* of all the organisms in a population, you can calculate the allelic frequency of the population.
- A population in which frequency of alleles *changes* from generation to generation is said to be in genetic equilibrium.
- 8. A population that is in *genetic equilibrium* is not evolving.
- **9.** Any factor that affects *phenotype* can change allelic frequencies, thereby disrupting the genetic equilibrium of populations. \_\_\_\_\_
- **10.** Many *migrations* are caused by factors in the environment, such as radiation or chemicals, but others happen by chance.
- **11.** Mutations are *important* in evolution because they result in genetic changes in the gene pool.
- **12.** Genetic *equilibrium* is the alteration of allelic frequencies by chance processes.
- **13.** Genetic drift is more likely to occur in *large* populations. \_\_\_\_\_
- **14.** The factor that causes the greatest change in gene pools is *mutation*.
- **15.** The type of natural selection by which one of the extreme forms of a trait is favored is called *disruptive selection*.

REINFORCEMENT AND STUDY GUIDE



## **Reinforcement and Study Guide**

Section 15.2 Mechanisms of Evolution, continued

In your textbook, read about the evolution of species.

Complete each statement.

**16.** \_\_\_\_\_\_ can occur only when either interbreeding or the production of fertile offspring is prevented among members of a population.

**17.** \_\_\_\_\_\_\_ occurs when formerly interbreeding organisms are prevented from producing fertile offspring.

18. Polyploid speciation is perhaps the fastest form of speciation because it results in immediate

19. The hypothesis that species originate through a slow buildup of new adaptations is known as

**20.** This hypothesis is supported by evidence from the \_\_\_\_\_\_ record.

In your textbook, read about patterns of evolution.

Answer the following questions.

**22.** What happened to the ancestor of the honey creeper when it left the mainland and encountered the diverse niches of Hawaii?

23. What is adaptive radiation?

24. Adaptive radiation is one example of divergent evolution. When does divergent evolution occur?

25. When will convergent evolution occur?